

LULU Shower set without hand shower - Brushed Platinum

LULU

26 413 710



- gauge 800 mm
- shower hose connector 3/8"
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar
- rosette 78 x 55 mm
- Pipe diameter 18 mm
- inherently safe from back flow
- WRAS

This article does not include a hand shower!



Brushed Platinum

26 413 710-06



Chrome

26 413 710-00

Recommended miscellaneous



Concealed wall elbow -
• max. recess depth 163 mm
• min. recess depth 90 mm

35 085 970 90

Required miscellaneous



Hand shower FlowReduce -
Brushed Platinum

28 016 979-06
0010

Required miscellaneous



Hand shower - Brushed Platinum

28 018 979-06

Required miscellaneous



Hand shower - Brushed Platinum

28 012 979-06

Required miscellaneous



Hand shower FlowReduce -
Brushed Platinum

28 012 979-06
0010

Required miscellaneous



Hand shower - Brushed Platinum

28 016 979-06

Recommended miscellaneous



LULU Wall elbow - Brushed
Platinum

28 450 710-06

Required miscellaneous



Hand shower - Brushed Platinum

28 017 979-06

Required miscellaneous



Hand shower FlowReduce -
Brushed Platinum

28 018 979-06
0010

Required miscellaneous



SERIES-VARIOUS Hand shower
FlowReduce - Brushed Platinum

28 027 979-06
0010

Required miscellaneous



SERIES-VARIOUS Hand shower -
Brushed Platinum

28 029 979-06

Required miscellaneous



SERIES-VARIOUS Hand shower
FlowReduce - Brushed Platinum

28 029 979-06
0010

Required miscellaneous




SERIES-VARIOUS Hand shower
FlowReduce - Brushed Platinum

28 025 979-06
0010

26 413 710

mm [inches]



Codes & Standards			
ASME A112.18.1	cUPC	Scottish Water Byelaws	UK Water Supply Regulations
XP P 41-280			

Certificates and sustainability		
WRAS_2009	ACS_20 ACC LY	IAPMO_4976



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	09 27 71 005-06	rosette	2.00	60
6	28 322 970-06	Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Platinum	1.00	2
1	05 30 31 025 00 90	fixing set	2.00	2
5	12 580 970-06	Slide unit - Brushed Platinum	1.00	50
4	05 28 22 590 01-06	bar	1.00	10
3	09 31 11 013 90	pin	2.00	2