

**Hand shower set with individual rosettes FlowReduce - Platinum**

IMO



















27 808 980



Fits: IMO, MEM, CL.1, CYO

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

|  |                               |                    |
|--|-------------------------------|--------------------|
|    | Platinum                      | 27 808 980-08 0010 |
|    | Chrome                        | 27 808 980-00      |
|    | Chrome                        | 27 808 980-00 0010 |
|    | Brushed Platinum              | 27 808 980-06      |
|    | Brushed Platinum              | 27 808 980-06 0010 |
|    | Platinum                      | 27 808 980-08      |
|    | Dark Chrome                   | 27 808 980-19      |
|    | Dark Chrome                   | 27 808 980-19 0010 |
|    | Brushed Light Gold            | 27 808 980-27      |
|   | Brushed Light Gold            | 27 808 980-27 0010 |
|  | Brushed Durabass (23kt Gold)  | 27 808 980-28 0010 |
|  | Brushed Durabass (23kt Gold)  | 27 808 980-28      |
|  | Matte Black                   | 27 808 980-33      |
|  | Matte Black                   | 27 808 980-33 0010 |
|  | Brushed Champagne (22kt Gold) | 27 808 980-46 0010 |
|  | Champagne (22kt Gold)         | 27 808 980-47 0010 |
|  | Brushed Chrome                | 27 808 980-93      |
|  | Brushed Chrome                | 27 808 980-93 0010 |
|  | Brushed Dark Platinum         | 27 808 980-99      |
|  | Brushed Dark Platinum         | 27 808 980-99 0010 |

**Recommended miscellaneous**




**Concealed wall elbow -**

35 085 970 90


- max. recess depth 163 mm
- min. recess depth 90 mm

27 808 980

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Ü-Zeichen



## Hand shower set with individual rosettes FlowReduce - Platinum

---

IMO

27 808 980

### Certificates


---

IAPMO\_4976

LGA\_29

27 808 980

Product version from 4/1/2024





# Hand shower set with individual rosettes FlowReduce - Platinum

IMO

27 808 980

## Spare parts list

### Product version from 4/1/2024

| No. | Item Number   | Name                  | Quantity used | Delivery time |
|-----|---------------|-----------------------|---------------|---------------|
|     | 28 450 980-08 | Wall elbow - Platinum | 5             | 40            |