

## SYNC Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

SYNC

33 875 895 Product version from 2/26/2015



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 420 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

|  |                                |               |
|--|--------------------------------|---------------|
|  | Brushed Dark Platinum          | 33 875 895-99 |
|  | Chrome                         | 33 875 895-00 |
|  | Brushed Platinum               | 33 875 895-06 |
|  | Platinum                       | 33 875 895-08 |
|  | Durabronze (23kt Gold)         | 33 875 895-09 |
|  | Dark Chrome                    | 33 875 895-19 |
|  | Brushed Durabronze (23kt Gold) | 33 875 895-28 |
|  | Matte Black                    | 33 875 895-33 |
|  | Brushed Bronze                 | 33 875 895-42 |
|  | Brushed Champagne (22kt Gold)  | 33 875 895-46 |
|  | Champagne (22kt Gold)          | 33 875 895-47 |
|  | Brushed Chrome                 | 33 875 895-93 |

### Recommended miscellaneous

**Swivel limitation set -**

12 821 970 90



### Recommended miscellaneous

**Dispenser without rosette -  
Brushed Dark Platinum**

82 424 970-99



### Recommended miscellaneous

**Strainer waste with control handle -  
Brushed Dark Platinum**


10 712 970-99



# SYNC Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

SYNC

33 875 895 Product version from 2/26/2015



## Flow rate chart



## Codes & Standards

DIN 4109

EN 1717

Executive Order  
no. 1007

ISO 3822

## Ü-Zeichen



## SYNC Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

SYNC

---


33 875 895 Product version from 2/26/2015

Certificates and sustainability

---

Belgaqua\_21-027-2 LGA\_28

GDV\_0400



## Spare parts list

| No.  | Item Number        | Name                    | Quantity used | Delivery time |
|--|--------------------|-------------------------|---------------|---------------|
| 7  | 09 28 30 030-99    | cover                   | 1.00          | 20            |
| 18   | 04 21 50 010 00 90 | accessories             | 1.00          | 2             |
| 17   | 09 30 03 038 90    | hose                    | 1.00          | 2             |
| 16   | 90 24 03 253 00 90 | adaptor                 | 1.00          | 2             |
| 10   | 90 31 20 087 00-99 | plug                    | 1.00          | 20            |
| 6  | 09 14 10 190 90    | seal                    | 1.00          | 2             |
| 8  | 09 20 89 020-99    | handle                  | 1.00          | 20            |
| 3  | 90 28 22 301 00-99 | spout                   | 1.00          | 20            |
| 19   | 90 30 09 031 00 90 | key                     | 1.00          | 2             |
| 9  | 90 31 11 063 00 90 | pin                     | 1.00          | 2             |
| 4  | 12 821 970 90      | Swivel limitation set - | 1.00          | 2             |
| 14   | 04 30 04 101 00 90 | hose                    | 2.00          | 2             |
| 1  | 90 12 11 184 00-99 | shower                  | 1.00          | 20            |
| 5  | 90 15 05 046 05 90 | cartridge               | 1.00          | 2             |
| 11   | 09 14 10 036 90    | seal                    | 1.00          | 2             |
| 15   | 04 28 20 067 00 90 | pipe                    | 1.00          | 2             |
| 2  | 04 30 02 120 00-99 | hose                    | 1.00          | -             |
| Spare part can no longer be ordered, please order the replacement item |                    |                         |               |               |
| 12   | 04 30 11 040 00 90 | fixing set              | 1.00          | 2             |
| 13   | 09 20 93 056 90    | insert                  | 1.00          | 2             |