

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings -

35 743 970 90



- lead-free
 - 1x back flow preventer
 - 1x male 1/2" connector
 - dust cover
 - 1x pre-seal
 - concealed installation
 - min. recess depth 90 mm
 - max. recess depth 125 mm
 - WRAS 1906116
- Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series
- Cannot be combined with spouts with a pull-rod pop-up waste.
- Please combine with item no. 10 126 970-FF
- Other series and finishes on request (x-TRA SERVICE)
- ATTENTION: Separate terms and conditions for electronic articles are applicable.
- Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series
- Cannot be combined with spouts with a pull-rod pop-up waste.
- Please combine with item no. 10 126 970-FF
- Other series and finishes on request (x-TRA SERVICE)
- ATTENTION: Separate terms and conditions for electronic articles are applicable.

Required miscellaneous


Leak protection 1/2" -

12 010 970 90



eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings -

35 743 970 90
mm [inches]




Certificates

WRAS_1906116. LGA_29119.

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings -

35 743 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	2	2
2	04 31 20 039 11 90	plug	2	2
3	90 14 10 010 00 90	seal	3	2
4	09 31 20 092 90	plug	1	2
5	90 23 01 040 00 90	back-flow preventer	1	2
6	04 29 05 031 01 90	insert	1	2
7	09 14 10 117 90	seal	1	2
8	09 31 20 094 90	plug	1	2
9	09 31 20 093 90	plug	1	2
10	09 14 10 031 90	seal	1	2
11	09 14 03 103 90	seal	1	2
12	09 11 11 011 90	lid	1	2