

Concealed wall-mounted single-lever mixer -

35 860 970 90 Product version from 5/1/2022



- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet for wall spout
- 1x female thread 1/2" outlet
- 2x dust cover
- anti-water packing
- soundproofing
- gauge 100 mm
- WRAS

Required miscellaneous



Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above - 39 807 970 90

- Overflow is part of the scope of delivery.

Recommended miscellaneous



Extension 20 mm - 12 870 970 90
 • Can only be combined with exposed trim parts 36 86X 664-FF.

Recommended miscellaneous



Extension 20 mm - 12 869 970 90
 • Not suitable for combining with META PURE (36 86X 664-FF).


Recommended miscellaneous




Adapter for reversed water connections - 12 880 970 90
 • Not suitable for combining with META PURE (36 86X 664-FF).

Concealed wall-mounted single-lever mixer -

35 860 970 90 Product version from 5/1/2022



Flow rate chart



Codes & Standards

EN 817

Scottish Water
Byelaws

UK Water Supply
Regulations

XP P 41-280



Concealed wall-mounted single-lever mixer -

35 860 970 90 Product version from 5/1/2022

Certificates

WRAS_2010


ACS_21 ACC LY

DVGW_DW-
6512DN0

WRAS_2107

Concealed wall-mounted single-lever mixer -

35 860 970 90 Product version from 5/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 31 20 006 00 90	plug	1	2
2	09 21 02 173 90	cap	1	2
3	90 30 11 086 00 90	fixing set	3	60
4	90 31 20 107 00 90	plug	1	2
5	90 17 01 238 00 90	sleeve	1	2
6	90 24 04 349 00 90	threaded connector	1	2
7	09 21 02 182 90	cap	1	2
8	90 23 01 174 00 90	sleeve	2	2
9	04 14 03 074 01 90	gasket kit	1	2