

LULU Hand shower set with individual rosettes FlowReduce - Brushed Platinum LULU

27 808 710



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- 3/8" shower outlet
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection





**Technical data:**

- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- 1/2" wall elbow


**Notes:**

- WRAS

Intrinsic protection against back flow.


	Brushed Platinum	27 808 710-06 0010
	Chrome	27 808 710-00
	Chrome	27 808 710-00 0010
	Brushed Platinum	27 808 710-06

Recommended miscellaneous

- |   |  |               |
|---|--|---------------|
|  | <b>Concealed wall elbow -</b><br>• max. recess depth 163 mm<br>• min. recess depth 90 mm | 35 085 970 90 |
|---|--|---------------|

27 808 710

mm [inches]




### Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
----------------	------	----------	----------

### Ü-Zeichen

### Certificates and sustainability

LGA_29	IAPMO_4976
--------	------------



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 450 710-06	LULU Wall elbow - Brushed Platinum	1.00	10
2	28 050 710-06	LULU Wall bracket - Brushed Platinum	1.00	-
Spare part can no longer be ordered, please order the replacement item				
3	90 30 02 072 00-06	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Platinum	1.00	10
4	90 12 11 140 41-06	shower	1.00	10