

Affusion pipe with cover plate FlowReduce - Chrome

27 858 979 Product version from 4/1/2024



- laminar flow
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


Intrinsic protection against back flow.

| | | |
|---|-------------------------------|---------------|
|  | Chrome | 27 858 979-00 |
|  | Brushed Platinum | 27 858 979-06 |
|  | Platinum | 27 858 979-08 |
|  | Dark Chrome | 27 858 979-19 |
|  | Brushed Light Gold | 27 858 979-27 |
|  | Brushed Durabrass (23kt Gold) | 27 858 979-28 |
|  | Matte Black | 27 858 979-33 |
|  | Brushed Champagne (22kt Gold) | 27 858 979-46 |
|  | Champagne (22kt Gold) | 27 858 979-47 |
|  | Brushed Chrome | 27 858 979-93 |
|  | Brushed Dark Platinum | 27 858 979-99 |


Affusion pipe with cover plate FlowReduce - Chrome

27 858 979 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



Affusion pipe with cover plate FlowReduce - Chrome

27 858 979 Product version from 4/1/2024


Certificates

Belgaqua_24-007-2 LGA_38

Affusion pipe with cover plate FlowReduce - Chrome

27 858 979 Product version from 4/1/2024

Parts for other
finishes can be found
here: Brushed
Platinum



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--|---------------|---------------|
| 1 | 04 12 11 073 01-00 | spout | 1 | 10 |
| 2 | 90 30 02 072 00-00 | Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome | 1 | 10 |
| 3 | 09 16 01 014 90 | ring | 1 | 2 |
| 4 | 90 23 01 147 00 90 | back-flow preventer | 1 | 2 |
| 5 | 90 24 03 212 00 90 | nipple | 1 | 2 |
| 6 | 09 14 10 008 90 | seal | 1 | 2 |
| 7 | 09 31 11 026 90 | pin | 2 | 2 |
| 8 | 09 14 03 127 90 | seal | 1 | 2 |
| 9 | 09 11 03 046-00 | connection | 1 | 10 |
| 10 | 90 31 11 004 00 90 | pin | 1 | 2 |
| 11 | 90 14 10 077 00 90 | seal | 1 | 2 |
| 12 | 09 24 03 107 20 90 | nipple | 1 | 2 |
| 13 | 90 21 02 069 00-00 | cover | 1 | 10 |
| 14 | 90 14 20 026 00 90 | seal | 1 | 2 |
| 15 | 90 31 11 112 00 90 | pin | 1 | 2 |
| 16 | 09 17 20 044-00 | holder | 1 | 10 |
| 17 | 09 18 40 078 90 | sleeve | 1 | 2 |
| 18 | 05 30 31 025 00 90 | fixing set | 1 | 2 |
| 19 | 09 11 02 133-00 | plate | 1 | 10 |
| 20 | 09 24 03 073 90 | nipple | 1 | 2 |