





DORNBRACHT YAMOU Shower head - Chrome

28 504 831 Product version from 1/1/2023



- 180-210mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7.6 l/min
- rosette Ø 55 mm
- WRAS

| | | |
|---|------------|---------------|
|  | Chrome | 28 504 831-00 |
|  | Soft Black | 28 504 831-69 |

Recommended miscellaneous

Concealed wall elbow - 35 085 970 90







DORNBRAUCH YAMOU Shower head - Chrome

28 504 831 Product version from 1/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



DORNBACHT YAMOU Shower head - Chrome

28 504 831 Product version from 1/1/2023


Certificates

LGA_28

WRAS_240202

DORNBRACT YAMOU Shower head - Chrome

28 504 831 Product version from 1/1/2023



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 90 27 83 018 00-00 | rosette | 1 | 2 |
| 2 | 90 11 03 011 10-00 | connection | 1 | 2 |