

Shower head - Brushed Durabrand (23kt Gold)

SERIES SPECIFIC

























28 508 980 Product version from 6/1/2024



- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:

- 200mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2" connection

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Durabrand (23kt Gold) | 28 508 980-28 |
|  | Chrome | 28 508 980-00 0010 |
|  | Chrome | 28 508 980-00 |
|  | Brushed Platinum | 28 508 980-06 0010 |
|  | Brushed Platinum | 28 508 980-06 |
|  | Platinum | 28 508 980-08 0010 |
|  | Platinum | 28 508 980-08 |
|  | Dark Chrome | 28 508 980-19 0010 |
|  | Dark Chrome | 28 508 980-19 |
|  | Brushed Light Gold | 28 508 980-27 |
|  | Brushed Light Gold | 28 508 980-27 0010 |
|  | Brushed Durabrand (23kt Gold) | 28 508 980-28 0010 |
|  | Matte Black | 28 508 980-33 |
|  | Matte Black | 28 508 980-33 0010 |
|  | Brushed Dark Brass | 28 508 980-39 0010 |
|  | Brushed Dark Brass | 28 508 980-39 |
|  | Brushed Champagne (22kt Gold) | 28 508 980-46 0010 |
|  | Brushed Champagne (22kt Gold) | 28 508 980-46 |
|  | Champagne (22kt Gold) | 28 508 980-47 0010 |
|  | Champagne (22kt Gold) | 28 508 980-47 |
|  | Brushed Chrome | 28 508 980-93 0010 |
|  | Brushed Chrome | 28 508 980-93 |
|  | Brushed Dark Platinum | 28 508 980-99 0010 |
|  | Brushed Dark Platinum | 28 508 980-99 |



Shower head - Brushed Durabrass (23kt Gold)


SERIES SPECIFIC

28 508 980 Product version from 6/1/2024


Recommended miscellaneous


| | | |
|--|--|---------------|
| | Concealed wall elbow - <ul style="list-style-type: none">•max. recess depth 163 mm•min. recess depth 90 mm | 35 085 970 90 |
|--|--|---------------|

mm [inches]



Flow rate chart





Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|------------|---------------|---------------|
| 3 | 09 14 10 098 90 | seal | 1.00 | 2 |
| 5 | 04 12 11 110 00-28 | shower | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 4 | 09 11 03 011-28 | connection | 1.00 | 20 |
| 2 | 09 31 11 048 90 | pin | 1.00 | 2 |
| 1 | 09 27 98 003-28 | rosette | 1.00 | 20 |