

MADISON Rain shower with ceiling fixing 200 mm - Brushed Dark Brass

MADISON








28 565 977    Product version from 12/5/2019




- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- with anti-scale system

Technical data:


- distance between ceiling and lower edge of the shower 185mm
- rosette Ø 55 mm
- 1/2" connection

|   |                               |               |
|---|-------------------------------|---------------|
|  | Brushed Dark Brass            | 28 565 977-39 |
|  | Chrome                        | 28 565 977-00 |
|  | Brushed Platinum              | 28 565 977-06 |
|  | Platinum                      | 28 565 977-08 |
|  | Durabrass (23kt Gold)         | 28 565 977-09 |
|  | Brushed Durabrass (23kt Gold) | 28 565 977-28 |
|  | Brushed Dark Platinum         | 28 565 977-99 |

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## MADISON Rain shower with ceiling fixing 200 mm - Brushed Dark Brass

MADISON

28 565 977 Product version from 12/5/2019

### Certificates and sustainability

DVGW\_DW-  
6517DN0

LGA\_38

WRAS\_250102

Parts for other  
finishes can be found  
here: [Chrome](#)

