

## Rain shower with wall fixing 220 mm - Brushed Durabrand (23kt Gold)

TARA

28 649 970



- 450mm projection
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS 2212012

Fits: TARA, LISSÉ, VAIA, META

|  |                               |               |
|--|-------------------------------|---------------|
|    | Brushed Durabrand (23kt Gold) | 28 649 970-28 |
|    | Chrome                        | 28 649 970-00 |
|    | Brushed Platinum              | 28 649 970-06 |
|    | Platinum                      | 28 649 970-08 |
|    | Dark Chrome                   | 28 649 970-19 |
|    | Light Gold                    | 28 649 970-26 |
|    | Brushed Light Gold            | 28 649 970-27 |
|    | Matte Black                   | 28 649 970-33 |
|    | Brushed Bronze                | 28 649 970-42 |
|   | Brushed Champagne (22kt Gold) | 28 649 970-46 |
|  | Champagne (22kt Gold)         | 28 649 970-47 |
|  | Brushed Chrome                | 28 649 970-93 |
|  | Brushed Dark Platinum         | 28 649 970-99 |

### Recommended miscellaneous



#### Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

28 649 970

mm [inches]



Flow rate chart



## Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## Rain shower with wall fixing 220 mm - Brushed Durabron (23kt Gold)

TARA

28 649 970

### Certificates

DVGW\_DW-  
6517DN0

LGA\_38

WRAS\_2212

**Product version from 3/13/2017**





## Rain shower with wall fixing 220 mm - Brushed Durabrand (23kt Gold)

TARA

28 649 970

### Spare parts list

#### Product version from 3/13/2017

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
|     | 04 30 31 032 00 90 | fixing set | 9             | 2             |