

LOT BAR TAP Two-hole mixer with individual rosettes - Dark Chrome

32 805 680



- 165mm projection
  - pivotable spout 360°
  - air-enriched flow
  - height of mixer 230 mm
  - height up to laminar flow regulator 205 mm
  - individual rosette 55 x 55 mm
  - hole diameter spout 35 mm
  - single-lever mixer hole diameter 44 mm
  - max. flow 8 l/min at 3 bar flow pressure
  - lead-free
  - WRAS
  - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Operating unit can be positioned freely.

|   |                                |               |
|---|--------------------------------|---------------|
|  | Dark Chrome                    | 32 805 680-19 |
|  | Chrome                         | 32 805 680-00 |
|  | Brushed Platinum               | 32 805 680-06 |
|  | Platinum                       | 32 805 680-08 |
|  | Brushed Durabronze (23kt Gold) | 32 805 680-28 |
|  | Brushed Champagne (22kt Gold)  | 32 805 680-46 |
|  | Champagne (22kt Gold)          | 32 805 680-47 |
|  | Brushed Dark Platinum          | 32 805 680-99 |

Recommended miscellaneous

Strainer waste with control handle  
- Dark Chrome

10 711 970-19



Recommended miscellaneous


Dispenser with rosette - Dark Chrome

82 439 970-19



## LOT BAR TAP Two-hole mixer with individual rosettes - Dark Chrome

32 805 680



### Flow rate chart



## Codes & Standards

DIN 4109

Executive Order  
no. 1007

ISO 3822

Ü-Zeichen



LOT BAR TAP Two-hole mixer with individual rosettes - Dark Chrome

---

32 805 680

Certificates

---

GDV\_0400            LGA\_18

## LOT BAR TAP Two-hole mixer with individual rosettes - Dark Chrome

32 805 680

Parts for other  
finishes can be found  
here: [Chrome](#)

