

META SQUARE BAR TAP Single-lever mixer - Brushed Champagne (22kt Gold)

META SQUARE

33 805 861 Product version from 1/1/2025



- 166mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Brushed Champagne (22kt Gold)	33 805 861-46
	Chrome	33 805 861-00
	Brushed Platinum	33 805 861-06
	Platinum	33 805 861-08
	Durabrass (23kt Gold)	33 805 861-09
	Dark Chrome	33 805 861-19
	Brushed Durabrass (23kt Gold)	33 805 861-28
	Matte Black	33 805 861-33
	Brushed Bronze	33 805 861-42
	Champagne (22kt Gold)	33 805 861-47
	Brushed Chrome	33 805 861-93
	Brushed Dark Platinum	33 805 861-99

## Recommended miscellaneous



Swivel limitation set -	12 820 970 90
-------------------------	---------------

## Recommended miscellaneous



**Strainer waste with control handle 10 712 970-46**  
**- Brushed Champagne (22kt Gold)**

## Recommended miscellaneous




<b>Dispenser without rosette - Brushed Champagne (22kt Gold)</b>	<b>82 424 970-46</b>
--	----------------------

# META SQUARE BAR TAP Single-lever mixer - Brushed Champagne (22kt Gold)

META SQUARE

33 805 861 Product version from 1/1/2025  
mm [inches]



## Flow rate chart



## Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

## Ü-Zeichen



META SQUARE BAR TAP Single-lever mixer - Brushed Champagne (22kt Gold)

META SQUARE

33 805 861    Product version from 1/1/2025

Certificates and sustainability

LGA\_38

WRAS\_240102



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
9	04 30 04 101 00 90	hose	2.00	2
7	90 20 66 003 00-46	handle	1.00	30
3	90 15 05 042 00 90	cartridge	1.00	2
2	09 19 86 012-46	cover	1.00	60
5	09 14 10 091 90	seal	1.00	2
1	90 28 22 285 00-46	spout	1.00	30
8	04 23 10 044 08 90	fixing set	1.00	2
4	09 24 04 266 90	nut	1.00	2
6	90 28 30 052 00-46	cover	1.00	30