

SYNC Single-lever mixer Pull-down with spray function - Durabron (23kt Gold)

SYNC

33 870 895



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 444 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Durabron (23kt Gold)	33 870 895-09
	Chrome	33 870 895-00
	Brushed Platinum	33 870 895-06
	Platinum	33 870 895-08
	Dark Chrome	33 870 895-19
	Brushed Durabron (23kt Gold)	33 870 895-28
	Matte Black	33 870 895-33
	Brushed Champagne (22kt Gold)	33 870 895-46
	Champagne (22kt Gold)	33 870 895-47
	Brushed Chrome	33 870 895-93
	Brushed Dark Platinum	33 870 895-99

Recommended miscellaneous

	Swivel limitation set -	12 821 970 90
--	--------------------------------	---------------


Recommended miscellaneous

	Dispenser without rosette - Durabron (23kt Gold)	82 424 970-09
--	---	---------------


Recommended miscellaneous

	Strainer waste with control handle - Durabron (23kt Gold)	10 712 970-09
--	--	---------------

33 870 895



Flow rate chart



Codes & Standards

DIN 4109

Executive Order
no. 1007

ISO 3822

Ü-Zeichen



SYNC Single-lever mixer Pull-down with spray function - Durabrass (23kt Gold)

SYNC


33 870 895

Certificates

LGA_28

GDV_0400

Product version from 5/20/2021





SYNC Single-lever mixer Pull-down with spray function - Durabrass (23kt Gold)

SYNC

33 870 895

Spare parts list

Product version from 5/20/2021