






DORNBRACHT PIUR Single-lever mixer Pull-out - Brushed Nickel

33 950 210




- 204mm projection
  - pivotable spout 360°
  - air-enriched flow
  - max. flow 8 l/min at 3 bar flow pressure
  - fabric braided hose 1500 mm
- Intrinsic protection against back flow.


	Brushed Nickel	33 950 210-70
	Chrome	33 950 210-00
	Soft Black	33 950 210-69

## DORNBRAUCH PIUR Single-lever mixer Pull-out - Brushed Nickel

33 950 210



### Flow rate chart



## Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen

XP P 41-280



## DORNBACHT PIUR Single-lever mixer Pull-out - Brushed Nickel

---

33 950 210

### Certificates


---

Belgaqua\_23-012-2   ACS\_23 ACC NY   AbP\_10

## DORNBRAUCH PIUR Single-lever mixer Pull-out - Brushed Nickel

33 950 210

Parts for other  
finishes can be found  
here: [Chrome](#)





DORNBRACHT PIUR Single-lever mixer Pull-out - Brushed Nickel

33 950 210

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 12 11 180 00-70	shower	14	2