






DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110




- 230mm projection
  - pivotable spout 120°
  - air-enriched flow and spray flow
  - fabric braided hose 1500 mm
  - max. flow 7 l/min at 3 bar flow pressure
- Intrinsic protection against back flow.

	Brushed Nickel	33 960 110-70
	Chrome	33 960 110-00
	Soft Black	33 960 110-69


## DORNBRAUCH LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

EN 817

ISO 3822

Ü-Zeichen

XP P 41-280



## DORNBRAUCHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

---

33 960 110

Certificates

---

Belgaqua\_23-012-2 ACS\_23 ACC NY


AbP\_10

DVGW\_DW-  
6506DN0

## DORNBRAUCHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Parts for other  
finishes can be found  
here: [Chrome](#)





DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 20 81 001 00-70	handle	15	2