


WATER BAR Concealed body spray - Light Gold

36 527 979 Product version from 10/1/2023



- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

	Light Gold	36 527 979-26
	Chrome	36 527 979-00
	Brushed Platinum	36 527 979-06
	Platinum	36 527 979-08
	Dark Chrome	36 527 979-19
	Brushed Light Gold	36 527 979-27
	Brushed Durabrass (23kt Gold)	36 527 979-28
	Matte Black	36 527 979-33
	Brushed Bronze	36 527 979-42
	Brushed Champagne (22kt Gold)	36 527 979-46
	Champagne (22kt Gold)	36 527 979-47
	Brushed Chrome	36 527 979-93
	Brushed Dark Platinum	36 527 979-99

Required miscellaneous



- | | |
|------------------------------------------|---------------|
| Concealed wall installation box - | 35 206 970 90 |
| • min. recess depth mm | |
| • max. recess depth mm | |

Recommended miscellaneous



- | | |
|----------------------------------------------------------------------------|---------------|
| xGRID Attachment set for integrating in the dry wall construction - | 12 340 970 90 |
|----------------------------------------------------------------------------|---------------|

Required miscellaneous



- | | |
|------------------------------------------|---------------|
| xGRID Installation track 555 mm - | 12 360 970 90 |
|------------------------------------------|---------------|


WATER BAR Concealed body spray - Light Gold

36 527 979 Product version from 10/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen
----------	----------	-----------



WATER BAR Concealed body spray - Light Gold

36 527 979 Product version from 10/1/2023

Certificates

LGA_38

WATER BAR Concealed body spray - Light Gold

36 527 979 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 11 02 137 00 90	connection	1	2
2	90 11 02 332 01-00	insert	1	10
3	09 27 99 001-26	rosette	1	60
4	09 31 11 006 90	pin	2	2