
















WATER FALL Cascade spout with individual jets for wall mounting - Brushed Light Gold


SERIES-VARIOUS

| | | | |
|---|--|--|---------------|
| 13 425 979 | Product version from 10/1/2023 | | |
| | <ul style="list-style-type: none"> • 22mm projection • PEARLSTREAM • plate 240 mm x 60 mm • connection 1/2", for shortening • plug-link mounting • Max. flow rate 9.5 l/min (at 3 bar) | | |
|  | |  <div>Brushed Light Gold</div> | 13 425 979-27 |
| | |  <div>Chrome</div> | 13 425 979-00 |
| | |  <div>Brushed Platinum</div> | 13 425 979-06 |
| | |  <div>Platinum</div> | 13 425 979-08 |
| | |  <div>Dark Chrome</div> | 13 425 979-19 |
| | |  <div>Light Gold</div> | 13 425 979-26 |
| | |  <div>Brushed Durabrass (23kt Gold)</div> | 13 425 979-28 |
| | |  <div>Matte Black</div> | 13 425 979-33 |
| | |  <div>Brushed Bronze</div> | 13 425 979-42 |
| | |  <div>Brushed Champagne (22kt Gold)</div> | 13 425 979-46 |
| | |  <div>Champagne (22kt Gold)</div> | 13 425 979-47 |
| | |  <div>Brushed Chrome</div> | 13 425 979-93 |
| | |  <div>Brushed Dark Platinum</div> | 13 425 979-99 |

Recommended miscellaneous

| | | |
|---|---|---------------|
| | <div> Concealed wall elbow - <ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm </div> | 35 085 970 90 |
|  | | |

Recommended miscellaneous


| | | |
|---|---|---------------|
| | <div> Concealed wall elbow - <ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm </div> | 35 085 970 90 |
|  | | |

WATER FALL Cascade spout with individual jets for wall mounting - Brushed Light Gold SERIES-VARIOUS


13 425 979 Product version from 10/1/2023
mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

DIN 4109 ISO 3822 Ü-Zeichen



WATER FALL Cascade spout with individual jets for wall mounting - Brushed Light Gold SERIES-VARIOUS

13 425 979 Product version from 10/1/2023

Certificates and sustainability

LGA_19



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|----------------------|------------|---------------|---------------|
| | 3 09 17 97 053 90 | holder | 1.00 | 2 |
| | 5 90 31 20 087 00-27 | plug | 1.00 | 30 |
| | 8 90 29 03 071 00 90 | insert | 1.00 | 2 |
| | 6 09 31 11 144 90 | pin | 2.00 | 2 |
| | 4 90 24 03 199 00 90 | connection | 1.00 | 2 |
| | 1 04 30 31 024 01 90 | fixing set | 1.00 | 2 |
| | 7 09 17 01 185 20-27 | spout | 1.00 | 60 |
| | 2 09 14 05 009 90 | seal | 1.00 | 2 |