










IMO Single-hole basin mixer with stand pipe without pop-up waste - Brushed Light Gold


IMO

22 585 671	Product version from 4/1/2024		
	<ul style="list-style-type: none"> • 195mm projection • fixed spout • rectangular, air-enriched flow • total height 1038 - 1103 mm • height up to aerator 970 – 1040 mm • rosette Ø 135 mm • max. flow 4.6 l/min • lead-free • This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB 	<div>  <div> Brushed Light Gold 22 585 671-27 </div> </div> <div>  <div> Chrome 22 585 671-00 </div> </div> <div>  <div> Brushed Platinum 22 585 671-06 </div> </div> <div>  <div> Dark Chrome 22 585 671-19 </div> </div> <div>  <div> Matte Black 22 585 671-33 </div> </div> <div>  <div> Brushed Chrome 22 585 671-93 </div> </div> <div>  <div> Brushed Dark Platinum 22 585 671-99 </div> </div>	

Required miscellaneous

	Concealed floor mounting - •min. recess depth 80 mm •max. recess depth 150 mm	35 945 970 90
---	--	---------------


Required miscellaneous

	Concealed floor mounting - •min. recess depth 80 mm •max. recess depth 150 mm	35 945 970 90
---	--	---------------

**IMO Single-hole basin mixer with stand pipe without pop-up waste - Brushed
Light Gold**

IMO

22 585 671 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



IMO Single-hole basin mixer with stand pipe without pop-up waste - Brushed Light Gold

IMO

22 585 671 Product version from 4/1/2024

Certificates and sustainability

LGA_38

WRAS_250102



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
9	09 14 10 084 90	seal	1.00	2
8	90 28 22 574 00-27	pipe	1.00	30
6	09 27 88 005-27	rosette	1.00	30
1	90 20 67 019 00-27	handle	1.00	30
3	09 14 10 102 90	seal	1.00	2
7	04 28 22 022 10 90	connection	2.00	2
4	90 23 10 146 00 90	nut	1.00	2
2	90 28 30 059 00-27	cover	1.00	30
5	90 15 05 042 00 90	cartridge	1.00	2
10	09 14 10 018 90	seal	1.00	2
11	90 28 22 407 00-27	spout	1.00	30