



28 017 979 Product version from 4/1/2024



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 130 mm
- 1/2" connection
- WRAS


Intrinsic protection against back flow.

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO


	Platinum	28 017 979-08
	Chrome	28 017 979-00
	Brushed Platinum	28 017 979-06
	Dark Chrome	28 017 979-19
	Light Gold	28 017 979-26
	Brushed Light Gold	28 017 979-27
	Brushed Durabronze (23kt Gold)	28 017 979-28
	Matte Black	28 017 979-33
	Brushed Bronze	28 017 979-42
	Brushed Champagne (22kt Gold)	28 017 979-46
	Champagne (22kt Gold)	28 017 979-47
	Brushed Chrome	28 017 979-93
	Brushed Dark Platinum	28 017 979-99

28 017 979 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## Hand shower - Platinum

IMO

28 017 979 Product version from 4/1/2024

### Certificates


DVGW\_DW-  
6517DN0

LGA\_29

WRAS\_2009

28 017 979 Product version from 4/1/2024

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 23 01 039 90	sieve	1	2