

MADISON Rain shower with ceiling fixing 200 mm - Brushed Dark Brass

MADISON








28 565 977    Product version from 12/5/2019




- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- with anti-scale system

Technical data:


- distance between ceiling and lower edge of the shower 185mm
- rosette Ø 55 mm
- 1/2" connection

	Brushed Dark Brass	28 565 977-39
	Chrome	28 565 977-00
	Brushed Platinum	28 565 977-06
	Platinum	28 565 977-08
	Durabrass (23kt Gold)	28 565 977-09
	Brushed Durabrass (23kt Gold)	28 565 977-28
	Brushed Dark Platinum	28 565 977-99

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



MADISON Rain shower with ceiling fixing 200 mm - Brushed Dark Brass

MADISON

28 565 977 Product version from 12/5/2019

Certificates and sustainability

DVGW_DW- 6517DN0	LGA_38	WRAS_250102
---------------------	--------	-------------

Parts for other  
finishes can be found  
here: [Chrome](#)

