

Rain shower with ceiling fixing 400 mm - Brushed Bronze

TARA

28 699 970



Fits: TARA, LISSÉ, VAIA, META

- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS 2212012

Product change as of 1st April 2024: max. flow 20l/min

| | | |
|--|--------------------------------|---------------|
|  | Brushed Bronze | 28 699 970-42 |
|  | Chrome | 28 699 970-00 |
|  | Brushed Platinum | 28 699 970-06 |
|  | Platinum | 28 699 970-08 |
|  | Dark Chrome | 28 699 970-19 |
|  | Light Gold | 28 699 970-26 |
|  | Brushed Light Gold | 28 699 970-27 |
|  | Brushed Durabronze (23kt Gold) | 28 699 970-28 |
|  | Matte Black | 28 699 970-33 |
|  | Brushed Champagne (22kt Gold) | 28 699 970-46 |
|  | Champagne (22kt Gold) | 28 699 970-47 |
|  | Brushed Chrome | 28 699 970-93 |
|  | Brushed Dark Platinum | 28 699 970-99 |

Recommended miscellaneous




Concealed wall elbow -

35 085 970 90


- min. recess depth 90 mm
- max. recess depth 163 mm

28 699 970

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Rain shower with ceiling fixing 400 mm - Brushed Bronze

TARA

28 699 970

Certificates



DVGW_DW-
6517DN0

LGA_29

WRAS_2212

28 699 970

Product version from 3/13/2017





Rain shower with ceiling fixing 400 mm - Brushed Bronze

TARA

28 699 970

Spare parts list

Product version from 3/13/2017

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------|---------|---------------|---------------|
| | 09 27 22 040-42 | rosette | 6 | 30 |