

TARA ULTRA Single-lever mixer - Durabrand (23kt Gold)

TARA ULTRA

33 816 875 Product version from 6/1/2022



- 241mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 393 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Durabrand (23kt Gold)	33 816 875-09
	Chrome	33 816 875-00
	Brushed Platinum	33 816 875-06
	Platinum	33 816 875-08
	Dark Chrome	33 816 875-19
	Brushed Durabrand (23kt Gold)	33 816 875-28
	Matte Black	33 816 875-33
	Brushed Bronze	33 816 875-42
	Brushed Champagne (22kt Gold)	33 816 875-46
	Champagne (22kt Gold)	33 816 875-47
	Brushed Chrome	33 816 875-93
	Brushed Dark Platinum	33 816 875-99

Recommended miscellaneous

**Dispenser without rosette -
Durabrand (23kt Gold)**

82 424 970-09




Recommended miscellaneous

**Strainer waste with control handle -
Durabrand (23kt Gold)**

10 712 970-09



33 816 875 Product version from 6/1/2022



Flow rate chart



Codes & Standards

DIN 4109

Executive Order
no. 1007

ISO 3822

Ü-Zeichen



TARA ULTRA Single-lever mixer - Durabross (23kt Gold)

TARA ULTRA

33 816 875 Product version from 6/1/2022

Certificates and sustainability

GDV_0400

LGA_18

33 816 875 Product version from 6/1/2022

Parts for other
finishes can be found
here: [Chrome](#)

