

ELIO Single-lever mixer Pull-out with spray function - Platinum

33 870 790 Product version from 6/1/2022



- 235mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 342 mm
- height up to aerator 292 mm
- hole diameter 35 mm
- fabric braided hose 1500 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.


Recommended miscellaneous

**Strainer waste with control handle 10 712 970-08
- Platinum**




ELIO Single-lever mixer Pull-out with spray function - Platinum

33 870 790 Product version from 6/1/2022



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

Executive Order
no. 1007

ISO 3822

Ü-Zeichen



ELIO Single-lever mixer Pull-out with spray function - Platinum

33 870 790 Product version from 6/1/2022


Certificates

LGA_18

Belgaqua_21-379-2 GDV_0400

ELIO Single-lever mixer Pull-out with spray function - Platinum

33 870 790 Product version from 6/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 12 11 098 00-08	shower	1	40
2	09 23 01 039 90	sieve	1	2
3	90 30 02 062 00-08	hose	1	40
4	90 28 22 186 00-08	spout	1	40
5	09 30 30 054 90	screw	1	2
6	90 15 05 045 00 90	cartridge	1	2
7	09 24 04 141-08	nut	1	40
8	09 20 79 040-08	handle	1	40
9	90 31 11 030 00 90	pin	1	2
10	90 31 20 109 00 90	plug	1	2
11	04 23 10 044 02 90	fixing set	1	2
12	04 30 04 104 00 90	hose	2	2
13	04 30 04 029 00 90	hose	1	2
14	04 21 50 005 00 90	accessories	1	2
15	09 23 01 131 90	back-flow preventer	1	2
16	90 14 20 019 00 90	seal	1	2