

xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

SERIES SPECIFIC

36 503 780
Product version up to 1/1/2022



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Brushed Platinum | 36 503 780-06 |
|  | Chrome | 36 503 780-00 |
|  | Platinum | 36 503 780-08 |
|  | Dark Chrome | 36 503 780-19 |
|  | Brushed Light Gold | 36 503 780-27 |
|  | Brushed Durabrass (23kt Gold) | 36 503 780-28 |
|  | Matte Black | 36 503 780-33 |
|  | Brushed Champagne (22kt Gold) | 36 503 780-46 |
|  | Champagne (22kt Gold) | 36 503 780-47 |
|  | Brushed Chrome | 36 503 780-93 |
|  | Brushed Dark Platinum | 36 503 780-99 |

Required miscellaneous



xTOOL Concealed thermostat module without volume control -
35 503 970 90

- max. recess depth 155 mm
- min. recess depth 115 mm

Required miscellaneous



xGRID Installation track 555 mm -
12 360 970 90

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction -
12 340 970 90



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|-----------|----------|------------------------|
| DIN 4109 | EN 1111 | ISO 3822 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | | |



xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

SERIES SPECIFIC


36 503 780 Product version up to 1/1/2022

Certificates and sustainability

| | | | |
|-----------|-----------------|--------|--------|
| WRAS_2011 | DVGW_DW-6512DN0 | LGA_29 | LGA_29 |
|-----------|-----------------|--------|--------|

xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum SERIES SPECIFIC

36 503 780 Product version up to 1/1/2022



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-------------------|---------------|---------------|
| 7 | 90 16 02 027 00 90 | spring | 1.00 | 2 |
| 10 | 12 178 970 90 | Extension 46 mm - | 1.00 | 2 |
| 2 | 09 11 02 196-06 | cover | 1.00 | 60 |
| 5 | 90 17 33 004 00-06 | handle | 1.00 | 10 |
| 3 | 90 14 10 049 00 90 | seal | 1.00 | 2 |
| 4 | 90 21 02 112 00-06 | sleeve | 1.00 | 10 |
| 8 | 90 30 30 136 00 90 | screw | 1.00 | 2 |
| 9 | 90 31 20 049 00-13 | plug | 1.00 | 30 |
| 6 | 90 21 33 011 00-13 | handle | 1.00 | 2 |
| 1 | 90 15 02 063 00 90 | cartridge | 1.00 | 2 |