

MEM Deck-mounted basin spout without pop-up waste - Chrome

MEM

13 716 782 Product version from 3/10/2014 to 6/16/2021



- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Chrome	13 716 782-00
	Brushed Platinum	13 716 782-06
	Platinum	13 716 782-08
	Dark Chrome	13 716 782-19
	Brushed Durabronze (23kt Gold)	13 716 782-28
	Brushed Champagne (22kt Gold)	13 716 782-46
	Champagne (22kt Gold)	13 716 782-47
	Brushed Dark Platinum	13 716 782-99

MEM Deck-mounted basin spout without pop-up waste - Chrome

MEM

13 716 782 Product version from 3/10/2014 to 6/16/2021



Flow rate chart



Codes & Standards

DIN 4109

Executive Order
no. 1007

ISO 3822

Ü-Zeichen



MEM Deck-mounted basin spout without pop-up waste - Chrome


MEM

13 716 782 Product version from 3/10/2014 to 6/16/2021

Certificates and sustainability

LGA_28

GDV_0400



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	4 09 14 10 130 90	seal	1.00	2
	5 09 11 10 055 10 90	connection	1.00	2
	1 90 28 22 155 01-00	spout	1.00	10
	3 09 11 10 054 10 90	connection	1.00	2
	2 09 27 78 034-00	rosette	1.00	10
	7 04 23 10 009 01 90	fixing set	1.00	2
	6 04 30 04 016 00 90	hose	2.00	60
	9 09 31 20 065 90	plug	1.00	2
	10 90 23 30 040 00-00	threaded connector	2.00	10
	8 90 14 10 060 00 90	seal	1.00	2