


CL.1 Deck valve anti-clockwise closing hot - Chrome

CL.1

20 006 706



- with CASCADE structure
- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking
- WRAS 240202020


	Chrome	20 006 706-00
	Brushed Platinum	20 006 706-06
	Dark Chrome	20 006 706-19
	Brushed Champagne (22kt Gold)	20 006 706-46
	Champagne (22kt Gold)	20 006 706-47
	Brushed Dark Platinum	20 006 706-99

CL.1 Deck valve anti-clockwise closing hot - Chrome

CL.1

20 006 706

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
NSF372	NSF61	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen



CL.1 Deck valve anti-clockwise closing hot - Chrome

CL.1


20 006 706

Certificates

WRAS_240202	IAPMO_4976	IAPMO_N-4	WRAS_1804	LGA_28
IAPMO_6				

**Product version from 3/9/2015**

Parts for other  
finishes can be found  
here: Brushed  
Platinum





## CL.1 Deck valve anti-clockwise closing hot - Chrome

CL.1

20 006 706

### Spare parts list

#### Product version from 3/9/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 053 07-00	handle ( hot )	8	10