


## Wall elbow with integrated shower holder - Brushed Platinum

IMO

28 490 970



- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection
- WRAS 1912049

Intrinsic protection against back flow.

Fits: IMO, MEM, CL.1, CYO

|  |                               |               |
|--|-------------------------------|---------------|
|    | Brushed Platinum              | 28 490 970-06 |
|    | Chrome                        | 28 490 970-00 |
|    | Platinum                      | 28 490 970-08 |
|    | Dark Chrome                   | 28 490 970-19 |
|    | Brushed Light Gold            | 28 490 970-27 |
|    | Brushed Durabass (23kt Gold)  | 28 490 970-28 |
|    | Matte Black                   | 28 490 970-33 |
|    | Brushed Champagne (22kt Gold) | 28 490 970-46 |
|    | Champagne (22kt Gold)         | 28 490 970-47 |
|   | Brushed Chrome                | 28 490 970-93 |
|  | Brushed Dark Platinum         | 28 490 970-99 |

### Recommended miscellaneous

#### Concealed wall elbow -

35 085 970 90



- max. recess depth 163 mm
- min. recess depth 90 mm

## Wall elbow with integrated shower holder - Brushed Platinum

IMO

28 490 970

mm [inches]



### Codes & Standards

Scottish Water  
Byelaws

UK Water Supply  
Regulations

### Certificates

WRAS\_1912

**Product version from 6/1/2024**





## Wall elbow with integrated shower holder - Brushed Platinum

IMO

28 490 970

### Spare parts list

#### Product version from 6/1/2024

| No. | Item Number        | Name   | Quantity used | Delivery time |
|-----|--------------------|--------|---------------|---------------|
|     | 90 24 03 280 00 90 | nipple | 14            | 2             |