

## Rain shower with wall fixing FlowReduce 220 mm - Light Gold

28 648 970




- 450mm projection
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

|   |                               |               |
|---|-------------------------------|---------------|
|    | Light Gold                    | 28 648 970-26 |
|    | Chrome                        | 28 648 970-00 |
|    | Brushed Platinum              | 28 648 970-06 |
|    | Platinum                      | 28 648 970-08 |
|    | Dark Chrome                   | 28 648 970-19 |
|    | Brushed Light Gold            | 28 648 970-27 |
|    | Brushed Durabrass (23kt Gold) | 28 648 970-28 |
|    | Matte Black                   | 28 648 970-33 |
|    | Brushed Bronze                | 28 648 970-42 |
|   | Brushed Champagne (22kt Gold) | 28 648 970-46 |
|  | Champagne (22kt Gold)         | 28 648 970-47 |
|  | Brushed Chrome                | 28 648 970-93 |
|  | Brushed Dark Platinum         | 28 648 970-99 |

**Rain shower with wall fixing FlowReduce 220 mm - Light Gold**

28 648 970

mm [inches]



**Codes & Standards**

DIN 4109

ISO 3822

Ü-Zeichen

**Certificates**

LGA\_38

## Rain shower with wall fixing FlowReduce 220 mm - Light Gold

28 648 970

Parts for other  
finishes can be found  
here: [Chrome](#)

