

Concealed wall installation box -

SERIES-VARIOUS

35 206 970 90



- female thread 1/2" connection
- dust cover
- anti-water packing
- WRAS

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction -

12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm -

12 360 970 90

35 206 970 90

mm [inches]



| Codes & Standards | | | |
|-------------------|----------|------------------------|-----------------------------|
| DIN 4109 | ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations |

Ü-Zeichen

| Certificates and sustainability | |
|---------------------------------|--------|
| WRAS_2106 | LGA_19 |

35 206 970 90



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------------|-------------|---------------|---------------|
| | 9 09 14 10 118 90 | seal | 1.00 | 2 |
| | 7 04 31 20 006 00 90 | plug | 1.00 | 2 |
| | 14 04 17 20 100 00 90 | fixing set | 1.00 | 2 |
| | 10 09 11 11 053 90 | accessories | 1.00 | 60 |
| | 13 09 24 03 169 10 90 | adaptor | 1.00 | 2 |
| | 11 04 14 03 126 00 90 | gasket kit | 1.00 | 2 |
| | 15 09 17 20 100 90 | holder | 2.00 | 60 |
| | 2 09 30 11 139 90 | disc | 6.00 | 2 |
| | 8 09 14 10 149 90 | seal | 1.00 | 2 |
| | 5 09 18 40 138 90 | sleeve | 1.00 | 60 |
| | 6 09 11 11 036 90 | accessories | 1.00 | 2 |
| | 4 09 17 20 094 90 | holder | 1.00 | 2 |
| | 3 04 30 31 024 01 90 | fixing set | 2.00 | 2 |
| | 1 09 30 30 152 90 | screw | 15.00 | 2 |
| | 12 90 14 10 010 00 90 | seal | 1.00 | 2 |