

CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705



- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Chrome	ST 010 102 4705-00
	Brushed Platinum	ST 010 102 4705-06
	Dark Chrome	ST 010 102 4705-19
	Brushed Champagne (22kt Gold)	ST 010 102 4705-46
	Champagne (22kt Gold)	ST 010 102 4705-47
	Brushed Dark Platinum	ST 010 102 4705-99

Individual components of this set

You need the following components for this set

1x 13 715 705-00



1x 20 004 705-00



1x 20 004 706-00









CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705



- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 1512011

	Chrome	13 715 705-0
	Brushed Platinum	13 715 705-0
	Dark Chrome	13 715 705-1
	Brushed Champagne (22kt Gold)	13 715 705-4
	Champagne (22kt Gold)	13 715 705-4
	Brushed Dark Platinum	13 715 705-9



CL.1 Three-hole basin mixer without pop-up waste - Chrome


CL.1

ST 010 102 4705


0
—
6
—
9
—
6
—
7
—
9
—

ST 010 102 4705

mm [inches]




Flow rate chart



Certificates

LGA_28	GDV_0400	IAPMO_N-4	IAPMO_8834	IAPMO_6
IAPMO_4976	WRAS_1512			


Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EPA WaterSense
Executive Order no. 1007	ISO 3822	NSF372	NSF61
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	WaterSense 

ST 010 102 4705

Product version from 3/9/2015 to 6/15/2021

Product version from 7/1/2021





CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705

Spare parts list

Product version from 3/9/2015 to 6/15/2021

Product version from 7/1/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 11 70 003 00-00	spout	12	10







CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705



- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking
- WRAS 240202020

	Chrome	20 004 705-0
	Brushed Platinum	20 004 705-0
	Dark Chrome	20 004 705-1
	Brushed Champagne (22kt Gold)	20 004 705-4
	Champagne (22kt Gold)	20 004 705-4
	Brushed Dark Platinum	20 004 705-9



CL.1 Three-hole basin mixer without pop-up waste - Chrome


CL.1

ST 010 102 4705


0
—
6
—
9
—
6
—
7
—
9
—

ST 010 102 4705

mm [inches]



Flow rate chart



Certificates


WRAS_240202 IAPMO_4976 IAPMO_N-4 WRAS_1804 LGA_28

IAPMO_6

Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
NSF372	NSF61	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

Product version from 3/9/2015



ST 010 102 4705

Spare parts list

Product version from 3/9/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 051 06-00	handle (cold)	8	10







CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705



- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking
- WRAS 240202020


	Chrome	20 004 706-0
	Brushed Platinum	20 004 706-0
	Dark Chrome	20 004 706-1
	Brushed Champagne (22kt Gold)	20 004 706-4
	Champagne (22kt Gold)	20 004 706-4
	Brushed Dark Platinum	20 004 706-9

ST 010 102 4705


0
—
6
—
9
—
6
—
7
—
9
—

ST 010 102 4705

mm [inches]



Flow rate chart



Certificates

WRAS_240202

IAPMO_4976

IAPMO_N-4

WRAS_1804

LGA_28


IAPMO_6

Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
NSF372	NSF61	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

Product version from 3/9/2015

Parts for other
finishes can be found
here: Brushed
Platinum



ST 010 102 4705

Spare parts list

Product version from 3/9/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 051 07-00	handle (hot)	8	10