








MADISON Angle valve - Brushed Durabrand (23kt Gold)

MADISON

22 900 360    Product version up to 5/1/2024




- rosette Ø 60 mm
- porcelain insert COLD

|   |                               |               |
|---|-------------------------------|---------------|
|  | Brushed Durabrand (23kt Gold) | 22 900 360-28 |
|  | Chrome                        | 22 900 360-00 |
|  | Brushed Platinum              | 22 900 360-06 |
|  | Platinum                      | 22 900 360-08 |
|  | Durabrand (23kt Gold)         | 22 900 360-09 |
|  | Brushed Dark Brass            | 22 900 360-39 |
|  | Brushed Dark Platinum         | 22 900 360-99 |

22 900 360 Product version up to 5/1/2024



**Flow rate chart**



Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

| No.  | Item Number        | Name               | Quantity used | Delivery time |
|--|--------------------|--------------------|---------------|---------------|
| 4  | 09 21 02 055-28    | cover              | 1.00          | 20            |
| 11   | 04 30 30 029 00 90 | fixing set         | 1.00          | 2             |
| 1  | 04 27 01 003 00-28 | rosette            | 1.00          | -             |
| Spare part can no longer be ordered, please order the replacement item |                    |                    |               |               |
| 5  | 04 20 36 002 06-28 | handle ( cold )    | 1.00          | 20            |
| 7  | 09 20 36 002-28    | handle             | 1.00          | 20            |
| 8  | 09 20 83 006 90    | handle             | 1.00          | 2             |
| 6  | 09 20 36 004-28    | handle             | 4.00          | 20            |
| 10   | 09 20 36 005-28    | handle             | 1.00          | 20            |
| 9  | 09 26 01 010 90    | accessories        | 1.00          | 2             |
| 3  | 90 90 03 023 01 90 | top                | 1.00          | 2             |
| 2  | 90 23 30 040 00-28 | threaded connector | 1.00          | 20            |