

## TARA ULTRA Single-lever mixer - Brushed Bronze

TARA ULTRA

33 816 875 Product version from 6/1/2022



- 241mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 393 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Brushed Bronze	33 816 875-42
	Chrome	33 816 875-00
	Brushed Platinum	33 816 875-06
	Platinum	33 816 875-08
	Durabrass (23kt Gold)	33 816 875-09
	Dark Chrome	33 816 875-19
	Brushed Durabrass (23kt Gold)	33 816 875-28
	Matte Black	33 816 875-33
	Brushed Champagne (22kt Gold)	33 816 875-46
	Champagne (22kt Gold)	33 816 875-47
	Brushed Chrome	33 816 875-93
	Brushed Dark Platinum	33 816 875-99

### Recommended miscellaneous

**Dispenser without rosette -  
Brushed Bronze**

82 424 970-42



### Recommended miscellaneous

**Strainer waste with control handle  
- Brushed Bronze**

10 712 970-42



The graph shows the relationship between bar pressure and luminance. The x-axis is labeled 'bar' and ranges from 0 to 6. The y-axis is labeled 'Lumin' and ranges from 0 to 10. The curve starts at (0,0), rises steeply to about 7.5 Lumin at 1 bar, and then gradually levels off, reaching approximately 8.2 Lumin at 6 bars.

bar	Lumin
0	0
0.5	4.5
1	7.5
2	7.9
3	8.0
4	8.0
5	8.1
6	8.2

DIN 4109	Executive Order no. 1007	ISO 3822	Ü-Zeichen
----------	-----------------------------	----------	-----------



## TARA ULTRA Single-lever mixer - Brushed Bronze

TARA ULTRA

33 816 875 Product version from 6/1/2022

### Certificates and sustainability

GDV\_0400

LGA\_18

33 816 875 Product version from 6/1/2022

Parts for other  
finishes can be found  
here: [Chrome](#)

