

## TARA ULTRA Single-lever mixer Pull-down with spray function - Dark Chrome

TARA ULTRA

33 870 875



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- height of mixer 500 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

|  |                               |               |
|--|-------------------------------|---------------|
|  | Dark Chrome                   | 33 870 875-19 |
|  | Chrome                        | 33 870 875-00 |
|  | Brushed Platinum              | 33 870 875-06 |
|  | Platinum                      | 33 870 875-08 |
|  | Durabrass (23kt Gold)         | 33 870 875-09 |
|  | Brushed Durabrass (23kt Gold) | 33 870 875-28 |
|  | Matte Black                   | 33 870 875-33 |
|  | Brushed Bronze                | 33 870 875-42 |
|  | Brushed Champagne (22kt Gold) | 33 870 875-46 |
|  | Champagne (22kt Gold)         | 33 870 875-47 |
|  | Brushed Chrome                | 33 870 875-93 |
|  | Brushed Dark Platinum         | 33 870 875-99 |

### Recommended miscellaneous

**Swivel limitation set -**

12 823 970 90



### Recommended miscellaneous

**Strainer waste with control handle - Dark Chrome**



### Recommended miscellaneous

**Dispenser without rosette - Dark Chrome**

82 424 970-19



33 870 875

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

Executive Order  
no. 1007

ISO 3822

Ü-Zeichen



## TARA ULTRA Single-lever mixer Pull-down with spray function - Dark Chrome

---

TARA ULTRA

33 870 875

Certificates and sustainability

---

LGA\_28

GDV\_0400

33 870 875

