

**VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum**

36 503 809



- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

	Brushed Platinum	36 503 809-06
	Chrome	36 503 809-00
	Platinum	36 503 809-08
	Dark Chrome	36 503 809-19
	Brushed Durabronze (23kt Gold)	36 503 809-28
	Brushed Bronze	36 503 809-42
	Brushed Champagne (22kt Gold)	36 503 809-46
	Champagne (22kt Gold)	36 503 809-47
	Brushed Dark Platinum	36 503 809-99

**Required miscellaneous**



**xTOOL Concealed thermostat module without volume control -** 35 503 970 90  
 •min. recess depth mm  
 •max. recess depth mm

**Recommended miscellaneous**



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90


**Required miscellaneous**




**xGRID Installation track 555 mm -** 12 360 970 90

**VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed  
Platinum**

36 503 809  
mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

**Ü-Zeichen**



VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed  
Platinum

---

36 503 809

Certificates

---

WRAS\_2011


LGA\_29

LGA\_29

LGA\_29

**VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed  
Platinum**

36 503 809



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 063 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 537-06	cover	1	10
4	09 31 11 048 90	pin	1	2
5	90 14 10 049 00 90	seal	1	2
6	90 21 02 112 00-06	sleeve	1	10
7	90 17 33 029 00-06	handle	1	10
8	12 178 970 90	Extension 46 mm -	1	2