











MEM Wall-mounted basin spout without pop-up waste - Brushed Durabrass  
(23kt Gold)
MEM

13 800 782	Product version from 3/10/2014		
	<ul style="list-style-type: none"> <li>• 200mm projection</li> <li>• fixed spout</li> <li>• rectangular, air-enriched flow</li> <li>• hole diameter 37 mm</li> <li>• rosette 60 x 60 mm</li> <li>• 1/2" connection</li> <li>• max. flow 5.7 l/min</li> <li>• lead-free</li> <li>• WRAS</li> <li>• This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB</li> </ul>	<div>  Brushed Durabrass (23kt Gold) 13 800 782-28 </div> <div>  Chrome 13 800 782-00 </div> <div>  Brushed Platinum 13 800 782-06 </div> <div>  Platinum 13 800 782-08 </div> <div>  Dark Chrome 13 800 782-19 </div> <div>  Brushed Champagne (22kt Gold) 13 800 782-46 </div> <div>  Champagne (22kt Gold) 13 800 782-47 </div> <div>  Brushed Dark Platinum 13 800 782-99 </div>	


Recommended miscellaneous

	<b>Concealed wall elbow -</b> •min. recess depth 90 mm •max. recess depth 163 mm	35 085 970 90
---	--	---------------

## MEM Wall-mounted basin spout without pop-up waste - Brushed Durabronz (23kt Gold)

MEM

13 800 782 Product version from 3/10/2014  
mm [inches]



### Flow rate chart



### Codes & Standards

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## MEM Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

---

MEM

13 800 782 Product version from 3/10/2014

Certificates and sustainability

---

WRAS\_2203

# MEM Wall-mounted basin spout without pop-up waste - Brushed Durabrass (23kt Gold)

MEM

13 800 782 Product version from 3/10/2014



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 29 03 109 00 90	aerator	1.00	2
2	90 27 78 035 00-28	rosette	1.00	20
1	09 24 03 081 10 90	extension	1.00	2