

## Hand shower set with individual rosettes with volume control FlowReduce - Brushed Bronze

SERIES SPECIFIC

27 809 985



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with volume control
- metal shower hose 1250mm with integrated anti-twist protection
- 3/8" shower outlet
- with anti-scale system

### Technical data:

- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2" wall elbow

### Notes:

- WRAS


Intrinsic protection against back flow.

	Brushed Bronze	27 809 985-42 0010
	Chrome	27 809 985-00
	Chrome	27 809 985-00 0010
	Brushed Platinum	27 809 985-06
	Brushed Platinum	27 809 985-06 0010
	Platinum	27 809 985-08 0010
	Platinum	27 809 985-08
	Dark Chrome	27 809 985-19 0010
	Brushed Durabronze (23kt Gold)	27 809 985-28
	Brushed Durabronze (23kt Gold)	27 809 985-28 0010
	Brushed Dark Brass	27 809 985-39 0010
	Brushed Champagne (22kt Gold)	27 809 985-46
	Brushed Champagne (22kt Gold)	27 809 985-46 0010
	Champagne (22kt Gold)	27 809 985-47
	Champagne (22kt Gold)	27 809 985-47 0010
	Brushed Chrome	27 809 985-93 0010
	Brushed Chrome	27 809 985-93
	Brushed Dark Platinum	27 809 985-99 0010
	Brushed Dark Platinum	27 809 985-99

Hand shower set with individual rosettes with volume control FlowReduce -  
Brushed Bronze

SERIES SPECIFIC

27 809 985  
mm [inches]



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
----------------	------	----------	----------

Ü-Zeichen

Certificates and sustainability

LGA\_29                      IAPMO\_4976 (

## Hand shower set with individual rosettes with volume control FlowReduce - Brushed Bronze

SERIES SPECIFIC

27 809 985

Parts for other  
finishes can be found  
here: [Chrome](#)

