

## Rain shower for recessed ceiling installation with light 300 mm - Brushed Dark Bronze (PVD) SERIES SPECIFIC

28 034 970



- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

### Technical data:

- min. recess depth 137 mm

### Ceiling module power supply

- 12V DC (CV)

### electrical:

### Ambient lighting

### Spot lighting

- LED coloured light RGBW
- LED coloured light RGBW














### Activation

- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Bulbs protected against splashing water

### Environment


### Planning tips:

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.
- WRAS

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Dark Bronze (PVD)      | 28 034 970-43 |
|    | Chrome                         | 28 034 970-00 |
|    | Brushed Platinum               | 28 034 970-06 |
|    | Platinum                       | 28 034 970-08 |
|    | Dark Chrome                    | 28 034 970-19 |
|    | Light Gold                     | 28 034 970-26 |
|    | Brushed Light Gold             | 28 034 970-27 |
|    | Brushed Durabronze (23kt Gold) | 28 034 970-28 |
|    | Matte Black                    | 28 034 970-33 |
|   | Brushed Dark Brass             | 28 034 970-39 |
|  | Brushed Bronze                 | 28 034 970-42 |
|  | Brushed Champagne (22kt Gold)  | 28 034 970-46 |
|  | Champagne (22kt Gold)          | 28 034 970-47 |
|  | Brushed Chrome                 | 28 034 970-93 |
|  | Brushed Dark Platinum          | 28 034 970-99 |

# Rain shower for recessed ceiling installation with light 300 mm - Brushed Dark Bronze (PVD) SERIES SPECIFIC

28 034 970  
mm [inches]



## Flow rate chart



## Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

## Ü-Zeichen



Rain shower for recessed ceiling installation with light 300 mm - Brushed Dark    SERIES SPECIFIC  
Bronze (PVD)

---

28 034 970  
Certificates and sustainability

---

LGA\_38                      WRAS\_240502

# Rain shower for recessed ceiling installation with light 300 mm - Brushed Dark Bronze (PVD) SERIES SPECIFIC

28 034 970

Parts for other  
finishes can be found  
here: [Chrome](#)

