



























28 508 979 Product version from 6/1/2024



- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection

Fits: TARA, LISSÉ, VAIA, META

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Light Gold | 28 508 979-27 |
|  | Chrome | 28 508 979-00 0010 |
|  | Chrome | 28 508 979-00 |
|  | Brushed Platinum | 28 508 979-06 0010 |
|  | Brushed Platinum | 28 508 979-06 |
|  | Platinum | 28 508 979-08 0010 |
|  | Platinum | 28 508 979-08 |
|  | Dark Chrome | 28 508 979-19 0010 |
|  | Dark Chrome | 28 508 979-19 |
|  | Light Gold | 28 508 979-26 0010 |
|  | Light Gold | 28 508 979-26 |
|  | Brushed Light Gold | 28 508 979-27 0010 |
|  | Brushed Durabrass (23kt Gold) | 28 508 979-28 0010 |
|  | Brushed Durabrass (23kt Gold) | 28 508 979-28 |
|  | Matte Black | 28 508 979-33 0010 |
|  | Matte Black | 28 508 979-33 |
|  | Brushed Bronze | 28 508 979-42 0010 |
|  | Brushed Bronze | 28 508 979-42 |
|  | Brushed Champagne (22kt Gold) | 28 508 979-46 0010 |
|  | Brushed Champagne (22kt Gold) | 28 508 979-46 |
|  | Champagne (22kt Gold) | 28 508 979-47 0010 |
|  | Champagne (22kt Gold) | 28 508 979-47 |
|  | Brushed Chrome | 28 508 979-93 0010 |
|  | Brushed Chrome | 28 508 979-93 |
|  | Brushed Dark Platinum | 28 508 979-99 0010 |
|  | Brushed Dark Platinum | 28 508 979-99 |



Shower head - Brushed Light Gold

TARA

28 508 979 Product version from 6/1/2024

Recommended miscellaneous



Concealed wall elbow -

•min. recess depth mm

•max. recess depth mm

35 085 970 90

28 508 979 Product version from 6/1/2024

mm [inches]



Flow rate chart





Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 09 27 22 003-27 | rosette | 1 | 60 |
| 2 | 90 14 10 026 00 90 | seal | 1 | 2 |
| 3 | 09 11 03 011-27 | connection | 1 | 60 |
| 4 | 04 12 11 110 00-27 | shower | 1 | - |

Spare part can no longer be ordered, please order the replacement item