

**Rain shower with wall fixing FlowReduce 220 mm - Brushed Durabronz (23kt Gold)**

IMO

28 648 670



Fits: IMO, CYO


- 450mm projection
- rain shower Ø 220 mm
- rain flow
- max. flow 7 l/min
- Function from: 6 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Durabronz (23kt Gold)	28 648 670-28
	Chrome	28 648 670-00
	Brushed Platinum	28 648 670-06
	Platinum	28 648 670-08
	Dark Chrome	28 648 670-19
	Brushed Light Gold	28 648 670-27
	Matte Black	28 648 670-33
	Brushed Champagne (22kt Gold)	28 648 670-46
	Champagne (22kt Gold)	28 648 670-47
	Brushed Chrome	28 648 670-93
	Brushed Dark Platinum	28 648 670-99


**Rain shower with wall fixing FlowReduce 220 mm - Brushed Durabronz (23kt Gold)**

IMO

28 648 670  
mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

ISO 3822

Ü-Zeichen



Rain shower with wall fixing FlowReduce 220 mm - Brushed Durabronz (23kt Gold)

---

IMO

28 648 670  
Certificates

---


LGA\_38

Rain shower with wall fixing FlowReduce 220 mm - Brushed Durabross (23kt Gold)

28 648 670

**Product version from 4/1/2024**

Parts for other finishes can be found here: [Chrome](#)





Rain shower with wall fixing FlowReduce 220 mm - Brushed Durabronz (23kt Gold)

IMO

28 648 670

### Spare parts list

#### Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	04 30 31 032 00 90	fixing set	9	2