

TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Durabrace (23kt Gold)

34 458 892 Product version from 5/1/2022



- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- rain shower Ø 220 mm
- rain shower with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

This article does not include a hand shower!

Intrinsic protection against back flow.


	Brushed Durabrace (23kt Gold)	34 458 892-28
	Chrome	34 458 892-00
	Brushed Platinum	34 458 892-06
	Platinum	34 458 892-08
	Dark Chrome	34 458 892-19
	Matte Black	34 458 892-33
	Brushed Bronze	34 458 892-42
	Brushed Champagne (22kt Gold)	34 458 892-46
	Champagne (22kt Gold)	34 458 892-47
	Brushed Chrome	34 458 892-93
	Brushed Dark Platinum	34 458 892-99



TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Durabross (23kt Gold)

34 458 892 Product version from 5/1/2022


Required miscellaneous




Required miscellaneous




Required miscellaneous



Required miscellaneous



Required miscellaneous



Required miscellaneous




Required miscellaneous



Required miscellaneous



Required miscellaneous




Required miscellaneous




Required miscellaneous



Required miscellaneous



Required miscellaneous



Required miscellaneous



Required miscellaneous






TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Durabross (23kt Gold)


34 458 892 Product version from 5/1/2022

mm [inches]

1:10



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Durabronze (23kt Gold)

34 458 892 Product version from 5/1/2022

Certificates


Belgaqua_22_283_2 WRAS_2204

LGA_38

**TARA Shower pipe with shower thermostat without hand shower FlowReduce
220 mm - Brushed Durabrace (23kt Gold)**

34 458 892 Product version from 5/1/2022

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 12 05 092 20-28	shower	1	20
2	04 28 22 346 00-28	pipe	1	20
3	09 14 10 008 90	seal	1	2
4	90 17 11 150 00-28	holder	1	20
5	28 322 970-28	Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Durabrace (23kt Gold)	1	20
6	12 570 970-28	Slide unit - Brushed Durabrace (23kt Gold)	1	20
7	90 28 22 349 00-28	pipe	1	20
8	04 17 01 250 00-28	connection	1	20
9	90 17 33 015 00-28	handle	1	20
10	90 14 20 026 00 90	seal	1	2
11	90 17 33 021 00-28	handle	1	20