















WATER FALL Cascade spout with individual jets for wall mounting - Brushed Dark Platinum

13 425 979

Product version from 10/1/2023



- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

	Brushed Dark Platinum	13 425 979-99
	Chrome	13 425 979-00
	Brushed Platinum	13 425 979-06
	Platinum	13 425 979-08
	Dark Chrome	13 425 979-19
	Light Gold	13 425 979-26
	Brushed Light Gold	13 425 979-27
	Brushed Durabrass (23kt Gold)	13 425 979-28
	Matte Black	13 425 979-33
	Brushed Bronze	13 425 979-42
	Brushed Champagne (22kt Gold)	13 425 979-46
	Champagne (22kt Gold)	13 425 979-47
	Brushed Chrome	13 425 979-93

Recommended miscellaneous

<div></div>	<div> <div>Concealed wall elbow -</div> <div> <ul style="list-style-type: none"> • max. recess depth mm • min. recess depth mm </div> </div>		
		35 085 970 90	


Recommended miscellaneous

<div></div>	<div> <div>Concealed wall elbow -</div> <div> <ul style="list-style-type: none"> • max. recess depth mm • min. recess depth mm </div> </div>		
		35 085 970 90	




WATER FALL Cascade spout with individual jets for wall mounting - Brushed Dark Platinum


13 425 979 Product version from 10/1/2023
mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

ASME A112.18.1 cUPC DIN 4109 ISO 3822

Ü-Zeichen



WATER FALL Cascade spout with individual jets for wall mounting - Brushed Dark Platinum

13 425 979 Product version from 10/1/2023

Certificates

LGA_19

IAPMO_4976

WATER FALL Cascade spout with individual jets for wall mounting - Brushed Dark Platinum

13 425 979 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	1	2
2	09 14 05 009 90	seal	1	2
3	09 17 97 053 90	holder	1	2
4	90 24 03 199 00 90	connection	1	2
5	90 31 20 087 00-99	plug	1	20
6	09 31 11 144 90	pin	2	2
7	09 17 01 185 20-99	spout	1	20
8	90 29 03 071 00 90	insert	1	2