

## SYMETRICS Wall-mounted basin spout without pop-up waste - Brushed Platinum

---

13 800 740



- 125mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 5 l/min
- lead-free

The mounting height from the top edge of the basin to the centre of the connection should be at least 125 mm. The front edge of the spout should be at least 20 mm in front of the back edge of the sink.

For Touchfree control please order eSet Touchfree WITH or WITHOUT temperature adjustment

### Recommended miscellaneous

---




**Concealed wall elbow -**

35 085 970 90


- max. recess depth 163 mm
- min. recess depth 90 mm

## SYMETRICS Wall-mounted basin spout without pop-up waste - Brushed Platinum



13 800 740  
mm [inches]



### Flow rate chart



### Trajectory diagram




## SYMETRICS Wall-mounted basin spout without pop-up waste - Brushed Platinum

---

13 800 740

**Product version from 7/1/2016**





SYMETRICS Wall-mounted basin spout without pop-up waste - Brushed  
Platinum

13 800 740

Spare parts list

Product version from 7/1/2016

No.	Item Number	Name	Quantity used	Delivery time
	90 24 03 108 00 90	nipple set	3	2