

TARA Single-hole basin mixer with stand pipe without pop-up waste - Brushed Platinum

TARA

22 585 892 Product version from 4/1/2024



- 201mm projection
- pivotable spout 360°
- circular, air-enriched flow
- total height 1095 - 1166 mm
- height up to aerator 1025 – 1095 mm
- rosette Ø 135 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Brushed Platinum | 22 585 892-06 |
|  | Chrome | 22 585 892-00 |
|  | Platinum | 22 585 892-08 |
|  | Dark Chrome | 22 585 892-19 |
|  | Brushed Durabrass (23kt Gold) | 22 585 892-28 |
|  | Matte Black | 22 585 892-33 |
|  | Brushed Dark Brass | 22 585 892-39 |
|  | Brushed Bronze | 22 585 892-42 |
|  | Brushed Champagne (22kt Gold) | 22 585 892-46 |
|  | Champagne (22kt Gold) | 22 585 892-47 |
|  | Brushed Chrome | 22 585 892-93 |
|  | Brushed Dark Platinum | 22 585 892-99 |

Required miscellaneous



- Concealed floor mounting -**
- max. recess depth 150 mm
 - min. recess depth 80 mm

35 945 970 90

TARA Single-hole basin mixer with stand pipe without pop-up waste - Brushed Platinum

TARA

22 585 892 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



TARA Single-hole basin mixer with stand pipe without pop-up waste - Brushed Platinum

TARA

22 585 892 Product version from 4/1/2024

Certificates and sustainability

LGA_38

WRAS_2304



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|-----------------------|------------|---------------|---------------|
| | 16 09 27 88 011-06 | rosette | 1.00 | 10 |
| | 1 90 28 22 214 02-06 | spout | 1.00 | 10 |
| | 18 09 14 10 084 90 | seal | 1.00 | 2 |
| | 3 09 20 89 010-06 | handle | 2.00 | 60 |
| | 4 90 12 12 219 00-06 | base | 2.00 | 10 |
| | 11 09 30 30 047 90 | screw | 1.00 | 2 |
| | 12 09 14 10 139 90 | seal | 4.00 | 2 |
| | 15 04 28 22 028 00-06 | pipe | 1.00 | 60 |
| | 13 04 28 22 022 10 90 | connection | 2.00 | 2 |
| | 14 04 31 11 002 00 90 | pin | 1.00 | 2 |
| | 19 09 14 10 018 90 | seal | 1.00 | 2 |
| | 7 90 90 03 151 00 90 | top | 2.00 | 2 |
| | 8 09 30 30 054 90 | screw | 1.00 | 2 |
| | 10 09 24 03 193 90 | adaptor | 1.00 | 2 |
| | 9 09 31 11 040 90 | pin | 1.00 | 2 |
| | 5 90 30 11 029 00 90 | disc | 2.00 | 2 |
| | 6 90 30 30 075 00 90 | screw | 2.00 | 2 |
| | 2 90 20 89 010 10-06 | handle | 2.00 | 10 |
| | 17 90 14 10 043 00 90 | seal | 1.00 | 2 |