

VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Dark Chrome

25 943 809




- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- 221mm projection
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 816 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- WRAS

Intrinsic protection against back flow.


| | | |
|---|--------------------------------|---------------|
|  | Dark Chrome | 25 943 809-19 |
|  | Chrome | 25 943 809-00 |
|  | Brushed Platinum | 25 943 809-06 |
|  | Platinum | 25 943 809-08 |
|  | Brushed Durabronze (23kt Gold) | 25 943 809-28 |
|  | Brushed Bronze | 25 943 809-42 |
|  | Brushed Champagne (22kt Gold) | 25 943 809-46 |
|  | Champagne (22kt Gold) | 25 943 809-47 |
|  | Brushed Dark Platinum | 25 943 809-99 |

VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Dark Chrome

25 943 809
mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|----------------|---------------------------|--------------------------------|-----------|
| ASME A112.18.1 | cUPC | DIN 4109 | EN 1717 |
| ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen |



VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Dark Chrome

25 943 809

Certificates

IAPMO_4976

Belgauqa_22_276_2 LGA_29

WRAS_240502

VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Dark Chrome

25 943 809

Parts for other
finishes can be found
here: [Chrome](#)

