

MADISON Wall elbow - Chrome
MADISON

28 450 370
Product version up to 7/6/2018



- 1/2" shower outlet
  - rosette Ø 60 mm
  - 1/2" connection
  - WRAS

Intrinsic protection against back flow.

|   |                               |                    |
|---|-------------------------------|--------------------|
|    | Chrome                        | 28 450 370-00      |
|   | Chrome                        | 28 450 370-00 0010 |
|    | Brushed Platinum              | 28 450 370-06      |
|   | Brushed Platinum              | 28 450 370-06 0010 |
|    | Platinum                      | 28 450 370-08      |
|   | Platinum                      | 28 450 370-08 0010 |
|    | Durabrass (23kt Gold)         | 28 450 370-09      |
|   | Durabrass (23kt Gold)         | 28 450 370-09 0010 |
|    | Brushed Durabrass (23kt Gold) | 28 450 370-28      |
|   | Brushed Durabrass (23kt Gold) | 28 450 370-28 0010 |
|   | Brushed Dark Brass            | 28 450 370-39      |
|  | Brushed Dark Platinum         | 28 450 370-99      |
|   | Brushed Dark Platinum         | 28 450 370-99 0010 |

Recommended miscellaneous



- Concealed wall elbow -**
35 085 970 90

  - max. recess depth 163 mm
  - min. recess depth 90 mm



**Flow rate chart**



**Codes & Standards**

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations




## MADISON Wall elbow - Chrome

MADISON

28 450 370 Product version up to 7/6/2018

Certificates and sustainability

Belgaqua\_21-381-2 WRAS\_240502



Spare parts list

| No. | Item Number        | Name                | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 4   | 90 23 01 040 00 90 | back-flow preventer | 1.00          | 2             |
| 3   | 09 11 03 021-00    | connection          | 1.00          | 10            |
| 1   | 09 27 37 003-00    | rosette             | 1.00          | 10            |
| 2   | 90 14 10 026 00 90 | seal                | 1.00          | 2             |