

## Wall elbow - Chrome

IMO

28 450 980



- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection
- WRAS 2310091

Intrinsic protection against back flow.

Fits: IMO, MEM, CL.1, CYO

	Chrome	28 450 980-00
	Brushed Platinum	28 450 980-06
	Platinum	28 450 980-08
	Durabrand (23kt Gold)	28 450 980-09
	Dark Chrome	28 450 980-19
	Brushed Light Gold	28 450 980-27
	Brushed Durabrand (23kt Gold)	28 450 980-28
	Matte Black	28 450 980-33
	Brushed Bronze	28 450 980-42
	Brushed Champagne (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Brushed Chrome	28 450 980-93
	Brushed Dark Platinum	28 450 980-99

### Recommended miscellaneous

#### Concealed wall elbow -


35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

28 450 980

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	------------------------

UK Water Supply Regulations



## Wall elbow - Chrome

IMO

28 450 980

### Certificates

IAPMO\_4976

WRAS\_1807

WRAS\_2310


Belgaqua\_22\_280\_2

28 450 980

Product version up to 7/6/2018

Product version from 7/6/2018 to 3/2/2021

**Product version from 3/2/2021**





## Wall elbow - Chrome

IMO

28 450 980

### Spare parts list

Product version up to 7/6/2018

Product version from 7/6/2018 to 3/2/2021

#### **Product version from 3/2/2021**

No.	Item Number	Name	Quantity used	Delivery time
	09 16 01 014 90	ring	13	2