





DORNBRACHT YAMOU Shower head - Soft Black

28 504 831    Product version from 1/1/2023



- 180-210mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7.6 l/min
- rosette Ø 55 mm
- WRAS

	Soft Black	28 504 831-69
	Chrome	28 504 831-00

Recommended miscellaneous


**Concealed wall elbow -**                      35 085 970 90




# DORNBACHT YAMOU Shower head - Soft Black

28 504 831    Product version from 1/1/2023

mm [inches]



Flow rate chart



## Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	------------------------	-----------------------------

Ü-Zeichen



## DORNBACHT YAMOU Shower head - Soft Black

---

28 504 831 Product version from 1/1/2023

### Certificates


---

LGA\_28

WRAS\_240202

# DORNBRACT YAMOU Shower head - Soft Black

28 504 831    Product version from 1/1/2023



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 27 83 018 00-69	rosette	1	2
2	90 11 03 011 10-69	connection	1	2