








MADISON Rain shower with wall fixing 200 mm - Brushed Platinum

28 545 977    Product version from 12/5/2019



- 435mm projection
- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

|   |                               |               |
|---|-------------------------------|---------------|
|  | Brushed Platinum              | 28 545 977-06 |
|  | Chrome                        | 28 545 977-00 |
|  | Platinum                      | 28 545 977-08 |
|  | Durabrand (23kt Gold)         | 28 545 977-09 |
|  | Brushed Durabrand (23kt Gold) | 28 545 977-28 |
|  | Brushed Chrome                | 28 545 977-93 |
|  | Brushed Dark Platinum         | 28 545 977-99 |

Recommended miscellaneous



- Concealed wall elbow -


•max. recess depth mm

•min. recess depth mm

35 085 970 90

## MADISON Rain shower with wall fixing 200 mm - Brushed Platinum

28 545 977 Product version from 12/5/2019



Flow rate chart



### Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## MADISON Rain shower with wall fixing 200 mm - Brushed Platinum

---

28 545 977 Product version from 12/5/2019

### Certificates

---

DVGW\_DW-  
6517DN0

LGA\_38

WRAS\_250102

# MADISON Rain shower with wall fixing 200 mm - Brushed Platinum

28 545 977    Product version from 12/5/2019



## Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1   | 09 27 35 003-06    | rosette    | 1             | 10            |
| 2   | 90 14 10 026 00 90 | seal       | 1             | 2             |
| 3   | 09 11 03 017-06    | connection | 1             | 10            |
| 4   | 04 12 05 038 01-06 | shower     | 1             | 10            |