

MADISON Rain shower with ceiling fixing 200 mm - Brushed Durabrass (23kt Gold)

MADISON

28 565 977	Product version up to 12/5/2019		
	<ul style="list-style-type: none"> rain shower Ø 200 mm PURE RAIN, max. flow rate 14 l/min (at 3 bar) Function from: 8 l/min with anti-scale system 	<div> <div></div> <div>Brushed Durabrass (23kt Gold)</div> </div>	28 565 977-28
		<div> <div></div> <div>Chrome</div> </div>	28 565 977-00
		<div> <div></div> <div>Brushed Platinum</div> </div>	28 565 977-06
		<div> <div></div> <div>Platinum</div> </div>	28 565 977-08
		<div> <div></div> <div>Durabrass (23kt Gold)</div> </div>	28 565 977-09
		<div> <div></div> <div>Brushed Dark Brass</div> </div>	28 565 977-39
		<div> <div></div> <div>Brushed Dark Platinum</div> </div>	28 565 977-99


Recommended miscellaneous

	<div> <div></div> <div>Concealed wall elbow -</div> </div>	35 085 970 90
	<ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm 	

MADISON Rain shower with ceiling fixing 200 mm - Brushed Durabron (23kt Gold)

MADISON

28 565 977 Product version up to 12/5/2019
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1112	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		




MADISON Rain shower with ceiling fixing 200 mm - Brushed Durabrass (23kt Gold)

MADISON

28 565 977 Product version up to 12/5/2019

Certificates and sustainability

DVGW_DW- 6517DN0	LGA_38	WRAS_250102
---------------------	--------	-------------



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 35 003-28	rosette	1.00	60
3	09 11 03 018-28	connection	1.00	60
4	28 535 977-28	shower	1.00	60
2	90 14 10 026 00 90	seal	2.00	2